



BENTLEY®

DOG EARED | DUST JACKET



LEFT
DOG EARED™
8DG230630R
Wait List 800111
12 ft 6 in
BROADLOOM

RIGHT
DOG EARED
8DG230AA0T
Manuscript 800103
18 in x 36 in
ASHLAR





DOG EARED
8DG230220T
Manuscript 800103
24 in x 24 in
MONOLITHIC





DUST JACKET™
8DJ2309A0T
First Edition 800100
Manuscript 800103
9 in x 36 in
ASHLAR

This installation was achieved by combining two DUST JACKET colors: 50% First Edition and 50% Manuscript.




DOG EARED
8DG230AA0T
First Edition 800100
18 in x 36 in
BRICK





DUST JACKET
8DJ230AA0T
Overdue 800107
18 in x 36 in
HERRINGBONE





DUST JACKET
8DJ230220T
Publisher 800109
24 in x 24 in
MONOLITHIC





DUST JACKET
8DJ230630R
First Edition 800100
12 ft 6 in
BROADLOOM





LEFT
DUST JACKET
8DJ230AA0T
Wait List 800111
18 in x 36 in
BRICK

RIGHT
DOG EARED
8DG2309A0T
Overdue 800107

REDACTED
8RF2309A0T
Card Catalog 801526
9 in x 36 in
ASHLAR

This installation was achieved by combining DOG EARED and REDACTED: 50% DOG EARED Overdue and 50% REDACTED Card Catalog.

DOG EARED and DUST JACKET color line as featured in architect folder.



First Edition 800100



Bookmark 800101



Anthology 800102




Manuscript 800103



Prologue 800104




Best Seller 800105



Chapter 800106



Overdue 800107



Reserved 800108



Publisher 800109



Abridged 800110



Wait List 800111



Literature 800112

The printed images may not be an accurate reproduction of the products' actual colorways. Please note that images were taken in a loft, full of natural light. We strive to offer an authentic representation, but images may vary according to press run and location lighting. These images are intended as a guide only. If you would like a sample of this product, please call Customer Care at **800.423.4709**.

DRAWING ROOM COLLECTION

SPECIFICATIONS

Style Number
Product Construction
Fiber
Dye Method
Secondary Backing
Broadloom
Carpet Tile

Yarn Weight
Machine Gauge
Pile Height
High
Medium
Low

Stitches
Pile Density
Total Weight

High PerformancePC Broadloom
NexStep® Cushion Tile
AFIRMA II™ Hardback Tile
AFFIXX™ Hardback Tile

Total Thickness

High PerformancePC Broadloom
NexStep® Cushion Tile
AFIRMA II™ Hardback Tile
AFFIXX™ Hardback Tile

Pattern Repeat

Broadloom
Carpet Tile

Radiant Panel
Smoke Density
Static
Flammability

DOG EARED™

8DG23
Tufted Textured Loop
Antron® Lumena DNA™ Nylon Type 6,6
Solution Dyed

High PerformancePC
NexStep® Cushion Tile / AFIRMA II™ Hardback Tile /
AFFIXX™ Hardback Tile
22 oz/yd² (745.9 g/m²)
1/10 in (39.4 ends/10 cm)

0.188 in (4.8 mm)
0.138 in (3.5 mm)
0.090 in (2.3 mm)
9.8/in (38.6 ends/10 cm)
7,333 oz/yd³

57 oz/yd² (1,932.6 g/m²)
99 oz/yd² (3,356.7 g/m²)
80 oz/yd² (2,712.5 g/m²)
81 oz/yd² (2,746.4 g/m²)

0.315 in (8.0 mm)
0.415 in (10.5 mm)
0.295 in (7.5 mm)
0.300 in (7.6 mm)

75 in (190.50 cm) (W) x 146-29/32 in (373.12 cm) (L)
None
Passes Class 1, ≥ 0.45 W/cm² (ASTM-E648)
< 450 Dm corr (ASTM-E662), Flaming
≤ 3.5 kV (AATCC-134), Step
Passes Methenamine Pill Test (CPSC-FF1-70)

DUST JACKET™

8DJ23
Tufted Textured Loop
Antron® Lumena DNA™ Nylon Type 6,6
Solution Dyed

High PerformancePC
NexStep® Cushion Tile / AFIRMA II™ Hardback Tile /
AFFIXX™ Hardback Tile
22 oz/yd² (745.9 g/m²)
1/10 in (39.4 ends/10 cm)

0.188 in (4.8 mm)
0.138 in (3.5 mm)
0.090 in (2.3 mm)
9.8/in (38.6 ends/10 cm)
7,216 oz/yd³

57 oz/yd² (1,932.6 g/m²)
99 oz/yd² (3,356.7 g/m²)
80 oz/yd² (2,712.5 g/m²)
81 oz/yd² (2,746.4 g/m²)

0.315 in (8.0 mm)
0.415 in (10.5 mm)
0.295 in (7.5 mm)
0.300 in (7.6 mm)

75 in (190.50 cm) (W) x 156-47/64 in (398.10 cm) (L)
None
Passes Class 1, ≥ 0.45 W/cm² (ASTM-E648)
< 450 Dm corr (ASTM-E662), Flaming
≤ 3.5 kV (AATCC-134), Step
Passes Methenamine Pill Test (CPSC-FF1-70)

STYLE NUMBERS

DOG EARED

8DG230630R
8DG2309A0T
8DG230AA0T
8DG230220T
8DG2309A0K
8DG230AA0K
8DG230220K
8DG2309A0X
8DG230AA0X
8DG230220X

DUST JACKET

8DJ230630R
8DJ2309A0T
8DJ230AA0T
8DJ230220T
8DJ2309A0K
8DJ230AA0K
8DJ230220K
8DJ2309A0X
8DJ230AA0X
8DJ230220X

BACKING

High PerformancePC Broadloom
NexStep® Cushion Tile
NexStep® Cushion Tile
NexStep® Cushion Tile
AFIRMA II™ Hardback Tile
AFIRMA II™ Hardback Tile
AFIRMA II™ Hardback Tile
AFFIXX™ Hardback Tile
AFFIXX™ Hardback Tile
AFFIXX™ Hardback Tile


SIZE

12 ft 6 in (3.810 m)
9 in x 36 in (22.86 cm x 91.44 cm)
18 in x 36 in (45.72 cm x 91.44 cm)
24 in x 24 in (60.96 cm x 60.96 cm)
9 in x 36 in (22.86 cm x 91.44 cm)
18 in x 36 in (45.72 cm x 91.44 cm)
24 in x 24 in (60.96 cm x 60.96 cm)
9 in x 36 in (22.86 cm x 91.44 cm)
18 in x 36 in (45.72 cm x 91.44 cm)
24 in x 24 in (60.96 cm x 60.96 cm)


CE Mark excludes AFFIXX™ Hardback Tile.

RECOMMENDED CARPET TILE INSTALLATION METHODS

9 in x 36 in




Ashlar




Herringbone


18 in x 36 in




Ashlar



Brick




Herringbone




Monolithic


24 in x 24 in



Brick



Monolithic



Quarter Turn

Bentley's High PerformancePC, NexStep® Cushion Tile, and AFFIXX™ Hardback Tile products are Cradle to Cradle Certified™ Silver. Bentley products are also certified under the NSF/ANSI Standard 140 – Sustainable Carpet Assessment (NSF 140). Six of Bentley's standard backing products are NSF 140 certified at the Gold level or above. AFIRMA II™ Hardback Tile certifications are currently in process. Bentley's carpet products are manufactured in our California mill, a LEED for Existing Buildings: Operations and Maintenance (LEED®-EBOM) Gold certified facility. Please inquire about product warranties for specific backing options.

Patterned carpet may require special attention by the installer to assure a suitable match, and must be addressed in the original labor quotation. Products that go through the shearing process may result in a small loss of yarn weight. Slight variations in color among different production lots are normal and should be considered in the overall installation plan. Carpet specifications and components are subject to normal manufacturing tolerances and may change without notice. Technical performance characteristics are subject to adjustment based on results of post-manufacture testing. Product warranted in accordance with the terms and conditions of Bentley's standard printed warranty in effect at time product is sold. All other warranties, including without limitation any implied warranties of merchantability or fitness for a particular purpose, are hereby disclaimed. Made in USA. Warning: unauthorized reproduction of this carpet design constitutes copyright infringement. ©2019 Bentley Mills, Inc.

Need additional samples or information? 800.423.4709 | BENTLEYMILLS.COM
(BK-CP-0319)

BENTLEY®





800.423.4709 | BENTLEYMILLS.COM

14641 E. DON JULIAN ROAD, CITY OF INDUSTRY, CA 91746