LuxFelt Cushion by Bentley Mills, Inc.

Health Product Declaration v2.3 RIFIED created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 31256 CLASSIFICATION: 09 68 00 Carpeting

PRODUCT DESCRIPTION: Bentley Premium nylon tufted face product. Non-woven primary stabilizer with up to 25% recycled content and enhanced dimensional stability. High performance pre-coat increases yarn bundle encapsulation and tuft lock providing clean tile edges; thermoplastic laminate contains up to 65% recycled content; stabilizing layer provides superior dimensional stability. PET fiber cushion with recycled content, provides enhanced sound reduction, underfoot comfort, reduces user fatigue, and extends appearance retention up to 50%. Includes a 15-year warranty for problems associated with with edge ravel, delamination, and tuft bind. Backing structure contains up to 100% recycled content. CRI Green Label Plus certified.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 100 ppm

⊙ 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

O Not Completed

Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Yes ○ No

Provided weight and role.

Screened

Provided screening results using HPDC-approved

methods.

Identified

Yes ○ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY **GREENSCREEN SCORE | HAZARD TYPE**

LUXFELT CUSHION [NYLON-66 LT-UNK POLICAPRAM (PRIMARY CASRN IS 25038-54-4) LT-UNK POLYETHYLENE TEREPHTHALATE (PET) LT-P1 LIMESTONE BM-3dg ETHYLENEVINYLACETATE COPOLYMER LT-UNK 2-PROPENOIC ACID, METHYL ESTER, POLYMER WITH ETHENE LT-UNK ALUMINA TRIHYDRATE (PRIMARY CASRN IS 21645-51-2) BM-2 | SKI | EYE WATER BM-4 TITANIUM DIOXIDE (PRIMARY CASRN IS 13463-67-7) LT-1* | CAN | END | MAM POLYETHYLENE LT-UNK ROSIN, POLYMER WITH PHENOL AND TALL-OIL ROSIN LT-UNK CARBON BLACK BM-1 | CAN | EYE | MAM QUARTZ (PRIMARY CASRN IS 14808-60-7) BM-1* CAN | MAM | GEN DODECYL ALCOHOL, ETHOXYLATED LT-P1 | MUL | SKI | EYE CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK MAGNESIUM CARBONATE BM-3dg FATTY ACIDS, TALL-OIL, ETHOXYLATED PROPOXYLATED LT-UNK

Number of Greenscreen BM-4/BM3 contents ... 3

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Bentley Mills, Inc. has prepared this HPD and assessed to ingredient disclosure level of 1,000 ppm. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listinas.

VOC emissions: CRI Green Label Plus - Carpets VOC emissions: CRI Green Label Plus - Carpets

Other: ILFI Declare - LBC Compliant - Third Party Verified

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified? PREPARER: Self-Prepared **SCREENING DATE: 2023-01-26** Yes O No

VERIFIER: WAP Sustainability Consulting VERIFICATION #: zPr-16549

PUBLISHED DATE: 2023-01-31 EXPIRY DATE: 2026-01-26

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

LUXFELT CUSHION

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered based on Best Practice raw material guidance and information provided by our suppliers.

OTHER PRODUCT NOTES: This HPD covers all available colors and styles on this backing composition; regardless of the dye method.

NYLON-66				ID: 32131-17-2
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-01-26 10:44:30
%: 7.4000 - 35.0500	GreenScreen: LT-UNK	RC: Both	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warı	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: Green Circle Certified for recycled content. 6% pre-consumer recycled content derived from scrap/waste material in the manufacturing process.

POLICAPRAM (PRIMARY CASRN IS 25038-54-4)

ID: 675840-08-1

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-01-26 10:44:31
%: 1.2600 - 34.6200	GreenScreen: LT-UNK	RC: Both	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: 100% recycled, with 50% post-consumer and 50% pre-consumer content. Post-consumer is derived from old carpets, fishing nets, textile products. Pre-consumer is derived from post-industrial waste and fabric scraps.

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-26 10:44:31

%: 21.8500 - 28.6800	GreenScreen: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No v	varnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	DN
None found				No listings found on Additional Hazard Lists

SUBSTANCE NOTES: 5% post-consumer recycled PET. 95% pre-consumer recycled PET. Post-consumer - bottle materials and other recycled materials from curbside collection. Recycled materials are washed and cleaned for reuse. Pre-consumer soft waste – recycled soft waste materials from industrial manufacturers or converters / fabricators that are processed into usable form for re-use.

LIMESTONE				ID: 1	317-65-3
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-01-26 10:44:32	
%: 25.3900 - 27.6300	GreenScreen: BM-3dg	RC: Both	NANO: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warr	nings found on HPD Priority Haza	ard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Additional Haza	ard Lists

SUBSTANCE NOTES: Post-consumer recycled content, 9% average, is derived from recycled mineral filler. Pre-consumer recycled content, 42% average, is derived from waste material during the manufacturing process of this ingredient.

ETHYLENEVINYLACETAT	E COPOLYMER			ID: 24937-78-8
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-01-26 10:44:32
%: 10.5500 - 13.2500	GreenScreen: LT-UNK	RC: PreC	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists

NOTIFICATION

LIST NAME AND SOURCE

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: 56% pre-consumer recycled content is derived from waste material during the manufacturing process of this ingredient.

2-PROPENOIC ACID, METHYL ESTER, POLYMER WITH ETHENE

ID: 25103-74-6

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCF	EENING DATE:	2023-01-26 10:44:32
%: 4.2700 - 4.3700	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species

ADDITIONAL LISTINGS

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

ALUMINA TRIHYDRATE (I	PRIMARY CASRN IS 21645-51-2)			ID: 8064-00-4
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-01-26 10:44:33
%: 2.3000 - 3.1300	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Flame retardant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - New Zealand		Skin irritation ca	ategory 2
EYE	GHS - New Zealand		Eye irritation cat	tegory 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation	0_0 0000	Product Standard Restricted (RSL) - Effective July 1, 2022
			Biological and E	invironmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation	0_0 0000	Product Standard Restricted (RSL) - Effective July 1, 2022
			Children's Produ	ucts

WATER ID: 7732-18-5 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-26 10:44:34 %: 2.0000 - 3.0000 GreenScreen: BM-4 RC: None SUBSTANCE ROLE: Diluent NANO: No **HAZARD TYPE** WARNINGS LIST NAME AND SOURCE No warnings found on HPD Priority Hazard Lists None found ADDITIONAL LISTINGS LIST NAME AND SOURCE **NOTIFICATION EXEMPT** European Union / European Commission **EU - REACH Exemptions** (EU EC) Exempted from REACH Annex IV listing due to intrinsic

TITANIUM DIOXIDE (PRIMARY CASRN IS 13463-67-7)

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-27 16:58:57

SUBSTANCE NOTES:

SUBSTANCE NOTES:

ID: 946525-05-9

%: 0.1000 - 2.5300	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carcino	ogens	Occupational Carc	inogen**
CAN	CA EPA - Prop 65		Carcinogen - speci route**	ific to chemical form or exposure
CAN	IARC		Group 2B - Possible from occupational	ly carcinogenic to humans - inhaled sources**
CAN	MAK			3A - Evidence of carcinogenic effects o establish MAK/BAT value**
END	TEDX - Potential Endocrine Dis	ruptors	Potential Endocrine	e Disruptor**
CAN	MAK		Carcinogen Group low risk under MA	4 - Non-genotoxic carcinogen with K/BAT levels**
CAN	EU - GHS (H-Statements) Anne	x 6 Table 3-1	H351 - Suspected Category 2]**	of causing cancer [Carcinogenicity -
CAN	GHS - Japan		H351 - Suspected Category 2]**	of causing cancer [Carcinogenicity -
MAM	GHS - Japan		repeated exposure	nage to organs through prolonged or [Specific target organs/systemic epeated exposure - Category 1]**
CAN	EU - Annex VI CMRs		Carcinogen Catego Carcinogen**	ory 2 - Suspected human
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Inno Institute (C2CPII)	vation		roduct Standard Restricted SL) - Effective July 1, 2022
			Cosmetics & Perso	onal Care Products
POSITIVE LIST	US Environmental Protection A	gency (US	US EPA - DfE Safe	r Chemicals Ingredients list (SCIL)
	/ 9	EPA)		Circle (Verified Low Concern)

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

POLYETHYLENE				ID: 9002-88-4
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-01-26 10:44:35
%: 2.1400 - 2.1900	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-26 10:44:33
%: 0.8000 - 0.8200	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warı	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

CARBON BLACK				ID: 1333-86-4
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-26 10:44:34
%: 0.0000 - 0.7000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carcino	gens	Occupational Ca	arcinogen
CAN	MAK		_	up 3B - Evidence of carcinogenic effects t for classification
CAN	CA EPA - Prop 65		Carcinogen - sp	ecific to chemical form or exposure
CAN	IARC		Group 2B - Poss	sibly carcinogenic to humans - inhaled nal sources
EYE	GHS - New Zealand		Eye irritation cat	tegory 2
CAN	GHS - New Zealand		Carcinogenicity	category 2
CAN	GHS - Japan		H351 - Suspecte Category 2]	ed of causing cancer [Carcinogenicity -
MAM	GHS - Japan		repeated exposu	damage to organs through prolonged or ure [Specific target organs/systemic g repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture and not in finished form.

QUARTZ (PRIMARY CASRN IS 14808-60-7)

ID: 87347-84-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-27 17:00:25

%: Impurity/Residual GreenScreen: BM-1 RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)**
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man**
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources**
CAN	IARC	Group 1 - Agent is Carcinogenic to humans**
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]**
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]**
CAN	GHS - New Zealand	Carcinogenicity category 1**
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]**
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]**
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

DODECYL ALCOHOL, ETHOXYLATED

ID: 9002-92-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-26 10:44:35

%: 0.2600 - 0.3500 GreenScreen: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Stabilizer

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - New Zealand	Serious eye damage category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products

SUBSTANCE NOTES:

С	CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE	
	IAZADD DATA COUDOS. Blanca Observing and Materials Library	LIAZADD CODEEN

ID: 65997-17-3

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2023-01-26 10:44:36		
%: 0.2500 - 0.3400	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No v	varnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

MAGNESIUM CARBONAT	TE			ID: 546-93-0
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-01-26 10:44:33
%: Impurity/Residual	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

FATTY ACIDS, TALL-OIL, ETHOXYLATED PROPOXYLATED

ID: 67784-86-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE:		2023-01-26 10:44:34
%: 0.0500 - 0.2500	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Lubricant

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS CRI Green Label Plus - Carpets

CERTIFYING PARTY: Third Party ISSUE DATE: 2022-03-02 CERTIFIER OR LAB: CRI (Green

APPLICABLE FACILITIES: 14641 Don Julian Rd City of Industry EXPIRY DATE: 2023-03-31 Label Plus)

CA US 91746 CERTIFICATE URL:

https://d1wl48l6kne4tq.cloudfront.net/uploads/2022/05/Bentley-

37X-GLP100642_033123-Lv4.1.pdf

CERTIFICATION AND COMPLIANCE NOTES: For 37X Pre-dyed Nylon with PET Backing (GLP100642). This product complies with California DPH

Section 01350 Versions 1.1 and 1.2 Private Office and School Classroom Scenario.

VOC EMISSIONS CRI Green Label Plus - Carpets

CERTIFYING PARTY: Third Party ISSUE DATE: 2022-03-22 CERTIFIER OR LAB: CRI (Green

APPLICABLE FACILITIES: 14641 Don Julian Rd City of Industry EXPIRY DATE: 2023-03-31 Label Plus)

CERTIFICATE URL:

CA US 91746

https://d1wl48l6kne4tq.cloudfront.net/uploads/2022/05/Bentley-

37Y-GLP100646_033123-Lv4.1.pdf

CERTIFICATION AND COMPLIANCE NOTES: For 37Y Post-dyed Nylon with PET Backing (GLP100646). This product complies with California DPH

Section 01350 Versions 1.1 and 1.2 Private Office and School Classroom Scenario.

OTHER ILFI Declare - LBC Compliant - Third Party Verified

CERTIFYING PARTY: Third Party ISSUE DATE: 2022-12-19 CERTIFIER OR LAB: WAP

APPLICABLE FACILITIES: 14641 Don Julian Rd City of Industry EXPIRY DATE: 2024-01-01 Sustainability

CA US 91746 CERTIFICATE URL:

https://d1wl48l6kne4tq.cloudfront.net/uploads/2023/01/Declare-

Label-LuxFelt-Cushion-010124.pdf

CERTIFICATION AND COMPLIANCE NOTES: Red List Approved

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

HEALTHBOND 2399

MANUFACTURER (OR GENERIC): Generic

HPD URL: No HPD available


ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Bentley Mills, Inc. recommended adhesive should be utilized to aid

in the proper installation of LuxFelt Cushion products and to ensure the product warranty.

Section 5: General Notes

Beauty. Service. Quality. Partnership. For over 30 years, these tenants have driven Bentley™ - California's largest carpet design and manufacturing corporation. Our award-winning broadloom, carpet tile and area rug products exude high performance and have earned superior Texture Appearance Retention Ratings (TARR), Cradle to Cradle Certified™, Green Label Plus certification and NSF-140 certifications. Bentley manufactures in a LEED for Existing Buildings Gold Certified facility and is a multi-year recipient of the GSA Evergreen Award. This product makes the claim that it



MANUFACTURER INFORMATION

MANUFACTURER: Bentley Mills, Inc.

ADDRESS: 14641 Don Julian Rd

City of Industry CA 91746, United States

WEBSITE: https://www.bentleymills.com/sustainability/

CONTACT NAME: Emily Chu

TITLE: Sustainability and Environmental Manager

PHONE: 6262775504

EMAIL: emily.chu@bentleymills.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.